

Schmierstoffe Deutschland

RZ30E Engine Care Protector

RZ30E Engine Care Protector helps to protect against damaging friction and reduce engine wear to improve the lubricating and cleaning properties of engine oils and prevent the formation of black sludge and varnish.


- Enables the engine to run more smoothly.
- Helps to reduce engine noise.
- Protects against rust and corrosion.
- Conditions metal surfaces.
- Prevents oxidation and premature sickening of the oil.
- Prolongs engine life.
- Compatible with all mineral, synthetic oils and suitable for regular and low SAPS applications.
- For petrol, diesel, LPG and hybrid engines (with or without turbocharger).

Application:

• For all gasoline and diesel engine lubrication system.

Usage direction:

One can (300 ml) is designed for 5 liters of engine oil. Add the contents of the can to the oil circuit. The additive remains in the engine oil until the next oil change.



Content: 300 ml
Content Carton: 24 cans

Typical characteristics

Typical characteristics			
Property	Method	Unit	Value
Colour		-	
Odor		-	
Physical state		-	
Kinematic viscosity	ISO 3104/3105	g/ml	
Boiling point and boiling range		°C	
Flash point	DIN EN ISO 2592	°C	
Ignition temperature		°C	
Relative density		g/ml	
Water solubility		-	

These parameters are typical of current production. The data does not include any assurance of properties or the guarantee of suitability for a special application. Existing statutory provisions and ordinances, which relate to the handling and use of the products, must be observed by the recipient of our products.

